

What is claimed is:

1. A compressor assembly comprising:
a compressor;
at least one temperature sensor associated with said compressor;
at least one pressure sensor associated with said compressor; and
5 a control block in communication with said at least one temperature sensor and said at least one pressure sensor, said control block being operable to monitor operational characteristics of said compressor.
2. The compressor assembly according to Claim 1, further comprising an oil level sensor in communication with said control block.
3. The compressor assembly according to Claim 2, wherein said compressor includes a shell, said oil level sensor being disposed within said shell.
4. The compressor assembly according to Claim 2, further comprising a crankcase heater associated with said compressor, said crankcase heater being in communication with said control block.
5. The compressor assembly according to Claim 1, further comprising a solenoid control system in communication with said control block.
6. The compressor assembly according to Claim 5, wherein said compressor includes a capacity control system, said capacity control system being in communication with said solenoid control system.

7. The compressor assembly according to Claim 5, wherein said compressor includes a liquid injection system, said liquid injection system being in communication with said solenoid control system.

8. The compressor assembly according to Claim 5, wherein said compressor includes an oil injection system, said oil injection system being in communication with said solenoid control system.

9. A compressor protection and control system comprising:
a plurality of compressors;
a control block associated with each of said plurality of compressors;
at least one temperature sensor associated with each of said plurality of
5 compressors, each of said at least one temperature sensor being in communication with
a respective control block;
at least one pressure sensor associated with each of said plurality of
compressors, each of said at least one pressure sensor being in communication with
a respective control block; and
10 a central control in communication with each of said control blocks.

10. The compressor protection and control system according to Claim 9, further comprising an oil level sensor associated with each of said plurality of compressors, each of said oil level sensor being in communication with a respective control block.

11. The compressor protection and control system according to Claim 10, wherein each of said plurality of compressors includes a shell, each of said oil level sensors being disposed within a respective shell.

12. The compressor protection and control system according to Claim 9, further comprising a crankcase heater associated with each of said plurality of compressors, each of said oil level sensors being in communication with a respective control block.

13. The compressor protection and control system according to Claim 9, further comprising a solenoid control system associated with at least one of said plurality of compressors, said solenoid control system being in communication with a respective control block.

14. The compressor protection and control system according to Claim 13, wherein said solenoid control system includes a capacity control system, said capacity control system being in communication with said solenoid control system.

15. The compressor protection and control system according to Claim 13, wherein said solenoid control system includes a liquid injection system, said liquid injection system being in communication with said solenoid control system.

16. The compressor protection and control system according to Claim 13, wherein said solenoid control system includes an oil injection system, said oil injection system being in communication with said solenoid control system.

ADD AIR
ADD B17